

arneg

www.arneg.it

Vertical multi-deck
Panama 3



Panama 3



Panama 3 P



YOUR NATURALLY INNOVATIVE PARTNER FOR RETAIL SOLUTIONS

into the World

Panama 3 Panama 3 P			Lunghezza senza spalle Length without ends Länge ohne Seiten Longeur sans joues Longitud sin laterales Длина без боковин	Temperatura di esercizio Working temperature Betriebstemperatur Temp. de fonctionnement Temperatura de trabajo Рабочая температура	Superficie di esposizione frontale Opening display surface Sichtbare Ausstellefläche Surface d'exposition frontale Superficie de exposición frontal Лицевая площадь экспозиции	Superficie di esposizione orizzontale Horizontal display surface Gesamte Ausstellefläche Surface d'exposition horizontale Superficie de exposición de apoyo Горизонтальная площадь экспозиции	Capacità utile Net volume Nutzleistung Capacité utile Capacidad útil Полезный объем
			mm	°C	m ²		dm ³
GL	065	203	1250	0°C / +2°C +2°C / +4°C +4°C / +6°C	1,93	2,30	717
			1875		2,90	3,45	1076
			2500		3,86	4,60	1435
	3750		5,79		6,90	2152	
	070		1250		1,93	2,61	816
			1875		2,90	3,92	1224
			2500		3,86	5,22	1631
	3750		5,79		7,83	2447	
	075		1250		1,93	2,92	914
			1875		2,90	4,39	1371
			2500		3,86	5,85	1828
	3750		5,79		8,77	2742	
	080		1250		1,93	3,24	1012
			1875		2,90	4,85	1518
			2500		3,86	6,47	2024
	3750		5,79		9,71	3037	
	085		1250		1,93	3,30	1029
			1875		2,90	4,95	1543
			2500		3,86	6,60	2058
	3750		5,79		9,90	3087	
	090		1250		1,93	3,36	1046
			1875		2,90	5,04	1568
			2500		3,86	6,72	2091
	3750		5,79		10,08	3137	
GL	065	216	1250	+2°C / +4°C +4°C / +6°C	2,09	2,30	774
			1875		3,14	3,45	1162
			2500		4,19	4,60	1549
	3750		6,28		6,90	2323	
	070		1250		2,09	2,61	881
			1875		3,14	3,92	1321
			2500		4,19	5,22	1762
	3750		6,28		7,83	2642	
	075		1250		2,09	2,92	987
			1875		3,14	4,39	1481
			2500		4,19	5,85	1974
	3750		6,28		8,77	2962	
	080		1250		2,09	3,24	1094
			1875		3,14	4,85	1640
			2500		4,19	6,47	2187
	3750		6,28		9,71	3281	
	085		1250		2,09	3,30	1110
			1875		3,14	4,95	1665
			2500		4,19	6,60	2221
	3750		6,28		9,90	3331	
	090		1250		2,09	3,36	1127
			1875		3,14	5,04	1691
			2500		4,19	6,72	2254
	3750		6,28		10,08	3381	
GL	065	203	1250	0°C / +2°C +2°C / +4°C	1,74	2,05	636
			1875		2,61	3,07	954
			2500		3,49	4,10	1272
	3750		5,23		6,15	1908	
	070		1250		1,91	2,05	685
			1875		2,86	3,07	1027
			2500		3,81	4,10	1370
	3750		5,72		6,15	2054	
	075		1250		1,74	2,36	734
			1875		2,61	3,54	1101
			2500		3,49	4,72	1468
	3750		5,23		7,08	2202	
	080		1250		1,91	2,36	791
			1875		2,86	3,54	1187
			2500		3,81	4,72	1582
	3750		5,72		7,06	2374	
	085		1250		1,74	2,67	832
			1875		2,61	4,01	1249
			2500		3,49	5,35	1665
	3750		5,23		8,02	2497	
	090		1250		1,91	2,67	898
			1875		2,86	4,01	1346
			2500		3,81	5,35	1795
	3750		5,72		8,02	2693	
GL	065	216	1250	0°C / +2°C +2°C / +4°C	1,74	2,99	931
			1875		2,61	4,48	1396
			2500		3,49	5,97	1861
	3750		5,23		8,96	2792	
	070		1250		1,91	2,99	1004
			1875		2,86	4,48	1506
			2500		3,81	5,97	2008
	3750		5,72		8,96	3012	
	075		1250		1,74	3,30	1029
			1875		2,61	4,95	1543
			2500		3,49	6,60	2058
	3750		5,23		9,90	3087	
	080		1250		1,91	3,30	1110
			1875		2,86	4,95	1665
			2500		3,81	6,60	2221
	3750		5,72		9,90	3331	
	085		1250		1,74	3,36	1046
			1875		2,61	5,04	1568
			2500		3,49	6,72	2091
	3750		5,23		10,08	3137	
	090		1250		1,91	3,36	1127
			1875		2,86	5,04	1691
			2500		3,81	6,72	2254
	3750		5,72		10,08	3381	



Panama 3
Fascia superiore a becco
Front curved trim



Panama 3
Fascia inferiore
Front base



Osaka 3 P
Fascia superiore piatta
Top flat trim




Osaka 3 P
Fascia inferiore piatta
Lower flat base




GL
Vetro frontale inferiore
Lower front glass


Panama 3




Panama 3 P



Panama 3 GL



Panama 3 P GL



ARNEG S.p.A. - Via Venezia, 58 - 35010 Campo San Martino (PD) Italy - Tel. +39 049 9699333 - Fax +39 049 9699444 - RAEE IT801000000139
 Certified ISO 9001:2008 - ISO 14001:2004 - ISO 50001:2011 - BS OHSAS 18001:2007

Contenuto modificabile senza preavviso. Content can be changed without notice. Inhalt Veränderbar ohne Vorankündigung. Contenu modifiable sans préavis. Contenido modificable sin previo aviso. Содержание изменяется без предупреждения